

ELECTRIC LITHIUM PETROL DIESEL









Snow tank volume
4.1 m³ / compacted 5.1 m³



Water tank volume
1,200 l or 1,400 l or 2,000 l

+ Snow tank-water tank connection 2,550 l or 2,750 l



Blade width 2,300 mm or 2,500 mm Blade change < 60 seconds







HIGH PERFORMANCE FOR LARGE-SCALE OPERATIONS

Powerful drive with diesel, petrol or electric engines together with a large snow and water tank capacity: The WM evo² has been purpose-designed for resurfacing large stadiums and ice rings. Technically sophisticated, with a quick blade-change system and numerous extras, the WM evo² is the perfect partner for professional resurfacing of ice surfaces over 4,200 m².

"Our arena is a training centre for international teams and a venue for major sporting events. Perfect ice quality is an absolute must! With the WM evo², I can guarantee perfect ice rinks."



Toni Doppler

Ice expert at the Max Aicher Arena Inzell / Germany



EVERYTHING UNDER CONTROL IN THE DRIVER'S CAB

The WM evo² is a guarantee of outstanding comfort for the driver and boasts a full, unobstructed view whether you're driving cabin-free or with all-round glazing. Three steps provide easy entry to the vehicle. All important information is clearly visible at a glance on the high-definition colour display, and all the main functions are keyboard-controlled. At a simple press of a button the automatic mode begins all work operations in a pre-defined order, while the height-adjustable Grammer suspension seat provides outstanding comfort.















ULTRA-LIGHT BLADES, CHANGED IN 60 SECONDS

The WM evo² quick blade-change system eases working life enormously: Blades can be changed in just 60 seconds! The blades are made in a special steel, giving you both an above-average service life and an impressive weight: They are just 3.5 kilos. Blade changes can be carried out quickly and safely. Two blades together with all accessory equipment are supplied as standard in a practical wooden transport box.





- EASY, QUICK AND PRECISE
 - LOW INJURY RISK
- IMPROVED QUALITY OF ICE ■


INTEGRATED EDGER FOR END-TO-END RINK PERFECTION

The edger is fixed to the body of the WM evo², guaranteeing you outstanding stability and performance. It can be operated easily and safely from the driver's seat. The innovative horizontal spring-loaded system with guide wheel ensures that the edger follows the contours of the rink to perfection, and planes the ice evenly, rapidly and cleanly. Edging and subsequent cleaning of the ice surface with the swivel brushes can be carried out in one simple step. The edgers are positioned between the axels and in front of the brush, to ensure an unrestricted overview of the vehicle. When not in use, the edgers are stored between the wheels, and do not affect operation in any way.










NEED MORE THAN 2,500 LITRES OF WATER? NO PROBLEM!

When you're building up ice depth or using the water sprayer, more water is a must. The WM evo² has it all taken care of! The water and snow tanks can easily be connected into one water tank with a total volume of around 2,550 litres of water. No more standing in cold water and tiresome tugging on hoses: All operations can be carried out from the comfort of the driver's cab – there's more than enough water to do the job.

Example: 1,400-litre water tank & 1,350-litre snow tank = 2,750 litres of water







MAINTENANCE







The entire engine technology is easily accessible just by lifting the cab. This means that mechanics can carry out their work quickly and cleanly, which in turn saves on time and service costs. Our team also use remote monitoring to keep an eye on your vehicle monitor and rectify any faults which may occur.

- COST EFFICIENT
- FREE AND EASY ACCESS
- SKILLED REMOTE MAINTENANCE



ELECTRIC / LITHIUM



FACTS & FIGURES

Motor	7 asynchronous motors
Total power	33 kW
Water tank	1,200 l
	optional 1,400 l or 2,000 l
Snow tank	4.1 m ³ - compacted 5.1 m ³
Transmission	Continuously adjustable
	electric all-wheel drive
Hydraulic oil tank	50
Speed	0 - 13 km/h
Tyres	225 / 75 / R16 C
	6 rows of spikes
Wheel rims	8" x 16"

INCLUDED IN DELIVERY



2 blades in wooden transport box



Laceration-proof safety gloves



2 towels



Grindstone



2 rubber mats



Storz coupling C with nozzles ø 32, ø 40, ø 50



Adjustment tool



Fuse set



Key for water filter



Operating instructions



1 set hexagonal socket screws



Online spare parts catalogue



STANDARD EQUIPMENT

Cab with heated windshield in safety glass, windscreen wiper system and interior light

PLC control

7 inch colour display

USB port for installing updates and data exchange

Button for automatic mode: Operations start automatically in a predefined order

Spring-suspended and height-adjustable driver's seat (fabric)

Armrest with storage capacity

Power steering

Easily-accessible engine compartment (tiltable)

with cab support

Maintenance-free asynchronous motors

Water tank made of PE

Snow bin & water tank connection (> 2.550 litres)

Function for automatic water filling system with immobilizer (Acquastop valve as optional)

Coated snow tank

Footbrake and parking brake

Hydraulically driven and swivelling side brush

Board guide pulley

Side mirror, rear

Front headlights, snow bin headlight, side headlight

Flashing warning light

Acoustic signal for reverse drive, snow bin cover operation, reverse of the screw conveyors and blade exchange

Proportional water metering

System for water dosing in curves

Planing system made of stainless steel

Constant grinding pressure planing system

Quick-Change-System for fast blade replacement

(< 60 seconds)

2 blades in wooden transport box

(super-light blade - 3.5 kg)

2 towels

Scope of delivery-set









In compliance with Suva certification no. E 7139/1.e



7

Snow tank volume
4.1 m³ / compacted 5.1 m³



Water tank volume 1,200 l or 1,400 l or 2,000 l



Blade width 2,300 mm or 2,500 mm



PETROL





Engine	Ford MSG 425 - 2,500 cm ³
Power	51,5 kW / 70 HP - 2,600 rpm
Torque	190 Nm - 2,600 rpm
Unloaded weight	3,750 kg (basic outfit)
Water tank	1,450 l
	optional 1,600 l or 2,200 l
Snow tank	4.1 m ³ - compacted 5.1 m ³
Transmission	Continuously adjustable
	hydraulic all-wheel drive
Fuel tank	52 I
Hydraulic oil tank	65 I
Speed	0 - 16 km/h
Tyres	225 / 75 / R16 C
	6 rows of spikes
Wheel rims	8" x 16"

INCLUDED IN DELIVERY



transport box

Laceration-proof safety gloves



2 towels



Grindstone



2 rubber mats



Storz coupling C with nozzles ø 32, ø 40, ø 50



Adjustment tool



Fuse set



Key for water filter



Operating instructions



1 set hexagonal socket screws



Online spare parts catalogue



STANDARD EQUIPMENT

Cab with heated windshield in safety glass, windscreen wiper system and interior light

PLC control

7 inch colour display

USB port for installing updates and data exchange

Button for automatic mode: Operations start automatically in a predefined order

Spring-suspended and height-adjustable driver's seat (fabric)

Armrest with storage capacity

Power steering

Easily-accessible engine compartment (tiltable)

with cab support

Hydraulic oil cooler

Water and fuel tank made of PE

Function for automatic water filling system with

immobilizer (Acquastop valve as optional)

Coated snow tank

Snow bin & water tank connection (> 2,800 I)

Footbrake and parking brake

Hydraulically driven and swivelling side brush

Board guide pulley

Side mirror, rear

Front headlights, snow bin headlight, side headlight

Flashing warning light

Acoustic signal for reverse drive, snow bin cover operation, reverse of the screw conveyors and blade exchange

Proportional water metering

System for water dosing in curves

Planing system made of stainless steel

Constant grinding pressure planing system

Quick-Change-System for fast blade replacement

(< 60 seconds)

2 blades in wooden transport box

(super-light blade - 3.5 kg)

2 towels

Scope of delivery-set









In compliance with Suva certification no. E 7139/1.e



Snow tank volume
4.1 m³ / compacted 5.1 m³



Water tank volume 1,450 l or 1,600 l or 2,200 l



Blade width 2,300 mm oder 2,500 mm



DIESEL



Engine Hatz 4H50TICD, 4 cylinder 1,952 cm³

Power 55.4 kW / 74.3 HP - 2,800 rpm

FACTS & FIGURES

treatment Emission Stage V / EPA Tier 4 final Unloaded weight 3,750 kg (basic outfit) Water tank 1,450 I optional 1,600 I or 2,200 I Snow tank 4.1 m³ - compacted 5.1 m³ Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 I Hydraulic oil tank 65 I Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Torque	240 Nm - 1,600 rpm
EPA Tier 4 final Unloaded weight 3,750 kg (basic outfit) Water tank 1,450 I optional 1,600 I or 2,200 I Snow tank 4.1 m³ - compacted 5.1 m³ Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 I Hydraulic oil tank 65 I Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Exhaust gas	DOC, DPF with EGR
Unloaded weight 3,750 kg (basic outfit) Water tank 1,450 l optional 1,600 l or 2,200 l Snow tank 4.1 m³ - compacted 5.1 m³ Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 l Hydraulic oil tank 65 l Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	treatment	Emission Stage V /
Water tank 1,450 I optional 1,600 I or 2,200 I Snow tank 4.1 m³ - compacted 5.1 m³ Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 I Hydraulic oil tank 65 I Speed 0 - 16 km/h Tyres 225 / 75 / R16 C		EPA Tier 4 final
optional 1,600 l or 2,200 l Snow tank 4.1 m³ - compacted 5.1 m³ Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 l Hydraulic oil tank 65 l Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Unloaded weight	3,750 kg (basic outfit)
Snow tank 4.1 m³ - compacted 5.1 m³ Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 l Hydraulic oil tank 65 l Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Water tank	1,450 l
Transmission Continuously adjustable hydraulic all-wheel drive Fuel tank 52 I Hydraulic oil tank 65 I Speed 0 - 16 km/h Tyres 225 / 75 / R16 C		optional 1,600 l or 2,200 l
hydraulic all-wheel drive Fuel tank 52 I Hydraulic oil tank 65 I Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Snow tank	4.1 m ³ - compacted 5.1 m ³
Fuel tank 52 Hydraulic oil tank 65 Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Transmission	Continuously adjustable
Hydraulic oil tank 65 Speed 0 - 16 km/h Tyres 225 / 75 / R16 C		hydraulic all-wheel drive
Speed 0 - 16 km/h Tyres 225 / 75 / R16 C	Fuel tank	52 I
Tyres 225 / 75 / R16 C	Hydraulic oil tank	65 I
220, 10, 1110	Speed	0 - 16 km/h
	Tyres	225 / 75 / R16 C
6 rows of spikes		6 rows of spikes
Wheel rims 8" x 16"	Wheel rims	8" x 16"

INCLUDED IN DELIVERY



transport box



Laceration-proof safety gloves



2 towels



Grindstone



2 rubber mats



Storz coupling C with nozzles ø 32, ø 40, ø 50



Adjustment tool



Fuse set



Key for water filter



Operating instructions



1 set hexagonal socket screws



Online spare parts catalogue



STANDARD EQUIPMENT

Cab with heated windshield in safety glass, windscreen wiper system and interior light

PLC control

7 inch colour display

USB port for installing updates and data exchange

Button for automatic mode: Operations start automatically in a predefined order

Spring-suspended and height-adjustable driver's seat (fabric)

Armrest with storage capacity

Power steering

Easily-accessible engine compartment (tiltable)

with cab support

Hydraulic oil cooler

Water and fuel tank made of PE

Function for automatic water filling system with

immobilizer (Acquastop valve as optional)

Coated snow tank

Snow bin & water tank connection (> 2,800 I)

Footbrake and parking brake

Hydraulically driven and swivelling side brush

Board guide pulley

Side mirror, rear

Front headlights, snow bin headlight, side headlight

Flashing warning light

Acoustic signal for reverse drive, snow bin cover operation, reverse of the screw conveyors and blade exchange

Proportional water metering

System for water dosing in curves

Planing system made of stainless steel

Constant grinding pressure planing system

Quick-Change-System for fast blade replacement

(< 60 seconds)

2 blades in wooden transport box

(super-light blade - 3.5 kg)

2 towels

Scope of delivery-set









In compliance with Suva certification no. E 7139/1.e



Snow tank volume
4.1 m³ / compacted 5.1 m³



Water tank volume 1,450 l or 1,600 l or 2,200 l



Blade width 2.300 mm or 2,500 mm




DIMENSIONS









OPTIONALS

Wash system



Ice wash system Multijet



Screw conveyor wash system vertical



Screw conveyor wash system horizontal



Snow bin wash system



Wheel wash system co-steering

Water application



Towel support standard



Towel lifter automatic



ICEplus Water spraying system



ICEplus Flexi Water spraying system with automatic towel lifter



Water sprayer

Dasher board processing Overview & security



Edger made of stainless steel, spring borne with electric height adjustment



Side mirror front left



Side mirror front right



Heated mirrors



Front camera

OPTIONALS

Comfort



Cab heating



Driver's seat heating Seat pad and backrest



Joystick



Radio with 2x 10 cm speakers



Acquastop valve



LED headlights



Tail lights



RGB underbody illumination

Personalization



Painting 1 color RAL



Wrapping

Service



Battery trolley



Battery water filling system



Spare wheel 16"



Cross-key



Lifting jack with bar 10t



Tool set



Assembly tool for nozzles ICEplus



Kit diagnostic cables



Access BMU Battery-Monitoring-Unit

Attachments for Bavarian Curling



Groove harrow







User friendliness

Through the use of top-quality components together with a well-planned design, maintenance work is extremely simple and is reduced to a minimum.





Quality guarantee

The WM evo² is a product which has been developed, built and assembled in house, from start to finish. Only by doing so can we guarantee top quality and punctual delivery times.




Detailed operating instructions

You can find all information on operation, maintenance and safety in the operating manual.

The right replacement part, every time

Order your spare parts easily and conveniently from our online portal:
Our series number and digital image system enable you to find the part you need with just one click.



Service and support

Our well-networked, international team of technicians undergo constant training and will be delighted to help you whenever you require assistance.





Series production

All WM technics vehicles are seriesmanufactured. We know exactly which parts have been used in each series run, and can deliver the correct spare parts to you at all times. At the same time, a number of optionals can be retrofitted with minimum effort and maximum precision, even years later.

Quality consciousness

From the manufacture of individual parts right through to the final quality-control inspection: Every step of the process is carried out and monitored with the utmost of precision. Each and every member of our staff is well-trained in his specialist field, and carries out all tasks conscientiously. This is a great advantage for our customers, who can be sure of receiving a technologically sophisticated product which has been manufactured to the very highest of quality standards.









WM evo² Max Aicher Arena



WM technics GmbH
Breiener Straße 15
I-39053 Blumau
Tel. +39 0471 353 332
info@wm-technics.com

www.wm-on-ice.com



Mobile / Event -



Pro / Heavy duty



Compact







