

# Compact

ELECTRIC  
LITHIUM



Snow tank volume  
1,7 m<sup>3</sup> / compacted 2,1 m<sup>3</sup>



Water tank volume  
600 l



Blade width  
1.700 mm





Fields of operation  
Mobile / Event

## ELECTRIC / LITHIUM



## DIMENSIONS



## FACTS & FIGURES

Motor	Asynchronous motor
Drive power	15 kW
AC motor controller	AC Curtis
Idle revolutions	900 rpm
Drive revolutions	1,900 rpm
Transmission	continuously adjustable hydraulic four-wheel drive
Speed	0 - 12 km/h
Snow tank	1.7 m <sup>3</sup> - compacted 2.1 m <sup>3</sup>
Water tank	600 l (stainless steel)
Tyres	175 / 70 R 14C 2 rows of spikes

## STANDARD EQUIPMENT

Snow breaker
Hydraulically driven and swivelling side brush
Parking brake
Board guide pulley
Side mirror, rear
Side headlight
Flashing warning light
Audible signal for reverse drive
Maintenance-free asynchronous motor
Indicators on the drivers station: water tank level, battery state of charge, current consumption, status motor controller
Coated snow bin
PLC control
Spring-suspended driver's seat
Easily accessible engine compartment (tiltable bonnet)
2 blades
2 towels
Scope of delivery set



**Snow tank volume**  
1,7 m<sup>3</sup> / compacted 2,1 m<sup>3</sup>



**Water tank volume**  
600 l



**Blade width**  
1.700 mm



**Fields of operation**  
Mobile / Event



# Compact



WM Compact



WM technics GmbH  
Breiener Straße 15  
I-39053 Blumau  
Tel. +39 0471 353 332  
info@wm-technics.com

[www.wm-on-ice.com](http://www.wm-on-ice.com)



Mobile / Event



Pro / Heavy duty



Compact



evo